

WETLANDS AND DEEPWATER HABITATS CLASSIFICATION



WETLANDS AND DEEPWATER HABITATS CLASSIFICATION



| MODIFIERS In order to more adequately describe the wetland and deepwater habitats, one or more of the water regime, water chemistry, soil, or special modifiers may be applied at the class or lower level in the hierarchy. The farmed modifier may also be applied to the ecological system. | | | | | | | |
|---|-----------------------|---------------------------------|--------------------------|--------------------------|-----------------|-------------------------------------|------------|
| special modifiers may be applied at the class or lower level in the Water Regime | | | Special Modifiers | Water Chemistry | | | Soil |
| Nontidal | Saltwater Tidal | Freshwater Tidal | | Coastal Halinity | Inland Salinity | pH Modifiers for all Fresh Water | |
| A Temporarily Flooded | L Subtidal | S Temporarily Flooded-Tidal | b Beaver | 1 Hyperhaline | 7 Hypersaline | a A cid | g Organic |
| B Saturated | M Irregularly Exposed | R Seasonally Flooded-Tidal | d Partly Drained/Ditched | 2 Euhaline | 8 Eusaline | t Circumneutral | n M ineral |
| C Seasonally Flooded | N Regularly Flooded | T Semipermanently Flooded-Tidal | f Farmed | 3 M ixohaline (Brackish) | 9 Mixosaline | i Alkaline | |
| E Seasonally Flooded/ | P Irregularly Flooded | V Permanently Flooded-Tidal | h Diked/Impo unded | 4 Polyhaline | 0 Fresh | | |
| Saturated | | | r Artificial | 5 M eso haline | | | |
| F Semipermanently Flooded | | | s Spoil | 6 Oligo haline | | | |
| G Intermittently Exposed | | | x Excavated | 0 Fresh | | | |
| H Permanently Flooded | | | | | | | |
| J Intermittently Flooded | | | | | | | |
| K Artificially Flooded | | | | | | | |